ELSEVIER

Journal of Inorganic Biochemistry 91 (2002) 655–656

JOURNAL OF Inorganic Biochemistry

www.elsevier.com/locate/jinorgbio

Author Index of Volume 91

Abrahamsson, M., 159
Adachi, S.-i., 491
Amantana, A., 356
Anson, C.E., 173
Antholine, W.E., 259
Arion, V.B., 298
Ascenzi, P., 487
Åkermark, B., 159

Barba-Behrens, N., 339
Barrows, T.P., 635
Battle, A.R., 205
Beatty, K.E., 59
Bemquerer, M.P., 363
Bender, A.T., 625
Bernès, S., 339
Bernhardt, R., 644
Bhaskar, B., 635
Bloch, C., 363
Bousfield, W., 212
Brito, H.F., 363
Brooks, K., 246
Brücher, E., 320
Burai, L., 320
Butler, A., 59
Butler, J.A., 356

Canters, G.W., 463
Carter, J.N., 59
Castillo-Blum, S.E., 339
Cavazza, C., 1
Chapman, S.K., 515, 527
Chattopadhyay, K., 116
Cheesman, M.R., 527
Clarkson, J., 527
Cohen, H., 199
Cohen, M.S., 635
Coletta, M., 487
Contzen, J., 607
Coon, M.J., 542
Costa, M., 421
Costa, N.D., 356
Craig, D., 515
Crichton, R.R., 9

Dawson, J.H., v
Darwish, M., 220
Das, T.K., 116
Davies, M.S., 205
Deligeer, 132
de Lima, J.J.P., 312
Deprez, E., 597
DeRose, E., 259
De Visser, S.P., 554
Doll, K.M., 388

Egan, T.J., 19
Eiden-Aßmann, S., 481
Einarsdóttir, Ó., 87
Eng, C.H., 451
Epperson, J.D., 46

Falini, G., 475
Farmer, P.J., 635
Farrell, N., 212
Fasano, M., 487
Felsche, J., 481
Fermani, S., 475
Finke, R.G., 371, 388
Fleming, P.E., 388
Fontecilla-Camps, J.C., 1
Försterling, H., 259
Franklin, S.J., 253
Fregona, D., 413
Fukui, A., 151
Fukunaga, R., 132
Funabiki, T., 151
Fuziwara, S., 515

Galanski, M., 298
Galván-Tejada, N., 339
Gao, J., 470
García-Cánovas, F., 27
Georg Furtmüller, P., 78
Geraldes, C.F.G.C., 312
Ghosh, A., 423
Gibson, D., 306
Gill, E., 597
Graziani, R., 413
Guzzi, R., 463

Haddad, G., 205
Hambley, T.W., 205
Hammarström, L., 159
Han, G., 230
Hannemann, F., 644
Hannon, M.J., 220
Hara, H., 277
Harris, D.L., 568
Hashimoto, Y., 70
Hayashi, T., 94
Heiß, A., 481
Helms, V., 597
Herai, S., 70
Higuchi, M., 151
Hiner, A.N.P., 27
Hisaeda, Y., 94
Hitomi, Y., 94, 151
Hoetzer, K.A., 481
Hossain, Z., 398
Huang, P., 159

Hui Bon Hoa, G., 597
Huq, F., 398

Ichikawa, K., 437
Iizuka, T., 94
Immoos, C.E., 635

Jakopitsch, C., 78
Jakupec, M.A., 298
Ji, L., 269
Jung, C., 586
Jung, C., 607

Kaizer, J., 190
Kamada, Y., 625
Kang, J., 470
Kasugai, N., 349
Kataoka, K., 125
Kataoka, K., 132
Kawakami, H., 349
Kawamoto, Y., 277
Kelly, S.M., 527
Keppler, B.K., 298
Király, R., 320
Kleaveland, P.A., 625
Kobayashi, K., 132
Kobayashi, M., 70
Korecz, L., 190
Kostka, S., 607
Kowalik-Jankowska, T., 421
Kozlowski, H., 421
Kraft, R., 607
Kubota, S., 349

Lange, R., v
Legssyer, R., 9
Lewis, D.F.V., 502
Leys, D., 527
Lincoln, P., 286
Lippard, S.J., 451
Lisurek, M., 644
Liu, J., 269
Lomoth, R., 159
Lu, T., 269
Lu, X., 470

Magnuson, A., 159
Majumdar, A., 116
Mansano-Weiss, C., 199
Mao, Q., 259
Marzano, C., 413
Masuda, H., 139
Matousek, P., 286
Matsuo, T., 94

Mattu, M., 487
Maves, S.A., 491
Mazumdar, S., 116
Mazzaglia, A., 237
McDonald, J.F., 618
McGregor, T.D., 212
McKeage, M.J., 205
McLean, K.J., 527
Meade, A.L., 618
Meyerstein, D., 199
Mikata, Y., 451
Miller, A.C., 246
Ming, L.-J., 46
Miranda, M.T.M., 363
Monsù Scolaro, L., 237
Munro, A.W., 515, 527
Murase, T., 349

Nagaoka, S., 349
Nair, B.U., 405
Najajreh, Y., 306
Nakata, K., 437
Naruta, Y., 151
Neves, M., 312
Nicolet, Y., 1
Nitta, K., 125
Noble, M.A., 515
Nordén, B., 286
Nöth, H., 339

Obinger, C., 78
Ogliaro, F., 554
Ogoshi, H., 94
Ohse, T., 349
Oinuma, K.-I., 70
Okawa, K., 94
Olofsson, J., 286
Önfelt, B., 286
Osawa, Y., 625

Page, N., 246
Pap, J., 190
Park, J., 159
Park, S.-Y., 491
Párkányi, L., 190
Parker, A.W., 286
Patel, K.K., 220
Peleg-Shulman, T., 306
Peng, H.-M., 542
Peschek, G.A., 78
Petering, D.H., 259
Plummer, E.A., 220
Poulos, T.L., 635
Powell, A.K., 173
Prata, M.I.M., 312

Elsevier Science Inc.
PII: S0162-0134(02)00531-7

Price, N.C., 527

Qu, L., 269
Qu, Y., 212

Raven, E.L., 27
Regelsberger, G., 78
Reid, G.A., 527
Richmond, A., 527
Ripamonti, A., 475
Rivers, S.L., 527
Rockenbauer, A., 190
Rodger, A., 220
Rodríguez-López, J.N., 27
Romeo, A., 237
Romeo, R., 237
Ronconi, L., 413
Rozhkova, E., 515
Rüker, F., 78
Russo, U., 413
Ryde, U., 101

Sagami, I., 515
Sakurai, H., 327
Sakurai, T., 125
Salnikow, K., 421
Sandman, K.E., 451
Santos, A.C., 312
Sarka, L., 320
Sasaki, S., 70
Sato, S., 437
Schmitt, W., 173
Schünemann, V., 586
Sessoli, R., 173
Shaik, S., 554
Shi, L., 246
Shimizu, S., 70
Shimizu, T., 515
Shiro, Y., 94, 491
Sigfridsson, E., 101
Simpson, M.T., 59
Sirish, M., 253
Sitran, S., 413
Sligar, S.G., 491
Smith, W.E., 527
Song, Y., 470
Speier, G., 190
Sportelli, L., 463
Steene, E., 423
Stewart, M., 246
Stirpe, A., 463
Stuehr, D.J., 618
Styring, S., 159
Subczynski, W.K., 259
Sucheta, A., 87
Sugimoto, N., 277
Sun, L., 159
Suzuki, A., 94
Suzuki, S., 132
Szundi, I., 87

Tagawa, S., 132
Takani, M., 139
Takino, T., 327
Tamm, M., 159
Tamura, A., 327
Tanaka, T., 151
Tani, F., 151
Tarnai, M., 437
Teotonio, E.E.S., 363
Terner, J., 586
Thorneley, R.N.F., 27
Trautwein, A.X., 586
Tuite, E., 286

Uddin, M.K., 437
Unfried, P., 298

Vaidyanathan, V.G., 405
Van Eps, N., 87
van Rotterdam, B., 159
van Veen, M., 173
Vatsis, K.P., 542
Veeger, C., 35
Verbeet, M.P., 463
Vicente, R., 339
Viertelhaus, M., 481
Vorachek, W.R., 356

Wade, R.C., 597
Wang, L., 470
Wang, Z., 470
Wang, Z.-Q., 618
Ward, R.J., 9
Wei, C.-C., 618
Weiss, K.E., 491
Weiss, R., 586
Whanger, P.D., 356
White, W.T., 371
Wilmet, S., 9
Wong, P.N., 205
Wu, P., 277

Xia, C., 259

Yajima, T., 139
Yamaguchi, K., 132
Yamamoto, T., 151
Yamane, K., 491
Yamauchi, O., 139
Yang, P., 230
Yasui, H., 327

Zamble, D.B., 451
Zékány, L., 320
Zhang, Q., 269
Zhang, T., 269
Zhao, C., 259
Zhou, H., 269
Zöllner, A., 644
Zoroddu, M.A., 421

ELSEVIER

Journal of Inorganic Biochemistry 91 (2002) 657–665

JOURNAL OF Inorganic Biochemistry

www.elsevier.com/locate/jinorgbio

Subject Index of Volume 91

Adenine
studies on the interaction between Ag^+ and DNA, 398
Adenosine radical cyclization
the synthesis and characterization of 8-methoxy-5′-deoxyadenosylcobalamin: a coenzyme B_{12} analog which, following Co–C bond homolysis, avoids cyclization of the 8-methoxy-5′-deoxyadenosyl radical, 388
Adenosylcobalamin analog
the synthesis and characterization of 8-methoxy-5′-deoxyadenosylcobalamin: a coenzyme B_{12} analog which, following Co–C bond homolysis, avoids cyclization of the 8-methoxy-5′-deoxyadenosyl radical, 388
A-DNA
circular dichroism study of the irreversibility of conformational changes induced by polyamine-linked dinuclear platinum compounds, 212
Adrenodoxin
deletions in the loop surrounding the iron–sulfur cluster of adrenodoxin severely affect the interactions with its native redox partners adrenodoxin reductase and cytochrome $P450_{scc}$ (CYP11A1), 644
Amide
site-directed mutagenesis for cysteine residues of cobalt-containing nitrile hydratase, 70
Amino acids
synthetic procedures to monomethyl-platinum(II) complexes containing nitrogen ligands of biological relevance, 237
Amino acid
the influence of amino acids on the biomineralization of hydroxyapatite in gelatin, 481
Anti-tumor activity
synthesis and characterization of water-insoluble and water-soluble dibutyltin(IV) porphinate complexes based on the tris(pyridinyl)porphyrin moiety, their anti-tumor activity in vitro and interaction with DNA, 230
Antibiotic
metal binding and structure–activity relationship of the metalloantibiotic peptide bacitracin, 46
ApA
hydrolysis of natural and artificial phosphoesters using zinc model compound with a histidine-containing pseudopeptide, 437
Aragonite
crystallization of calcium carbonate salts into beta-chitin scaffold, 475
Artificial photosynthesis
photo-induced oxidation of a dinuclear $Mn_2^{II,II}$ complex to the $Mn_2^{III,IV}$ state by inter- and intramolecular electron transfer to Ru^{III}*tris*-bipyridine, 159
Ascorbate
studies on the interaction between Ag^+ and DNA, 398
Assembly
assembly and activation of heme-deficient neuronal NO synthase with various porphyrins, 625
Autoxidation
contribution of heme-propionate side chains to structure and function of myoglobin: chemical approach by artificially created prosthetic groups, 94
Axial thiolate heme ligand
replacement of active-site cysteine-436 by serine converts cytochrome P450 2B4 into an NADPH oxidase with negligible monooxygenase activity, 542
Azide
effects of chaotropic anions on the distribution of conformational substates of amicyanin, wild type and Cys3Ala/Cys26Ala azurin mutant, 463
Azole inhibitors
expression, purification and spectroscopic characterization of the cytochrome P450 CYP121 from *Mycobacterium tuberculosis*, 527
Bacitracin
metal binding and structure–activity relationship of the metalloantibiotic peptide bacitracin, 46
BCM-ESR
structure-dependent metallokinetics of antidiabetic vanadyl-picolinate complexes in rats: studies on solution structure, insulinomimetic activity, and metallokinetics, 327
Binding
study on the interactions between CuL_2 and Morin with DNA, 470
Bioinorganic chemistry
photo-induced oxidation of a dinuclear $Mn_2^{II,II}$ complex to the $Mn_2^{III,IV}$ state by inter- and intramolecular electron transfer to Ru^{III}*tris*-bipyridine, 159
Biomonitors
spectroscopic and structural characterization of copper(II) and palladium(II) complexes of a lichen substance usnic acid and its derivatives. Possible forms of environmental metals retained in lichens, 139
Bis(benzylhistidyl)diethylenetriamine
hydrolysis of natural and artificial phosphoesters using zinc model compound with a histidine-containing pseudopeptide, 437
Bleomycin
structures of HO_2-Co(III)bleomycin A_2 bound to $d(GAGCTC)_2$ and $d(GGAAGCTTCC)_2$: structure–reactivity relationships of Co and Fe bleomycins, 259
Blood disposition
structure-dependent metallokinetics of antidiabetic vanadyl-picolinate complexes in rats: studies on solution structure, insulinomimetic activity, and metallokinetics, 327
Blue copper proteins
effects of chaotropic anions on the distribution of conformational substates of amicyanin, wild type and Cys3Ala/Cys26Ala azurin mutant, 463
Calcite
crystallization of calcium carbonate salts into beta-chitin scaffold, 475
Calcium carbonate
crystallization of calcium carbonate salts into beta-chitin scaffold, 475

Elsevier Science Inc.
PII: S0162-0134(02)00532-9

Calf thymus DNA
studies on the interaction between Ag^+ and DNA, 398
Carbamic acid
biomimetic hydrolytic activation by Fe(III) aggregates: structures, reactivity and properties of novel oxo-bridged iron complexes, 173
Catalase activity
engineering the proximal heme cavity of catalase-peroxidase, 78
Catalase-peroxidases
engineering the proximal heme cavity of catalase-peroxidase, 78
Catecholase activity
synthesis, structure and catecholase activity of dinuclear copper and zinc complexes with an N_3-ligand, 190
Catecholatoiron complex
structures and electronic properties of the catecholatoiron complexes in relation to catechol dioxygenases: chlorocatecholatoiron complexes are compared to the 3,5-di-*tert*-butylcatecholatoiron complex in the solid state and in solution, 151
Cation effect
effect of divalent cations and cytosine protonation on thermodynamic properties of intermolecular DNA double and triple helices, 277
CDNA
primary structure of a Japanese lacquer tree laccase as a prototype enzyme of multicopper oxidases, 125
Cell death
selective cell death by water-soluble Fe-porphyrins with superoxide dismutase (SOD) activity, 349
Chelation therapy
molecular and cellular mechanisms of iron homeostasis and toxicity in mammalian cells, 9
Chemical mutation
contribution of heme-propionate side chains to structure and function of myoglobin: chemical approach by artificially created prosthetic groups, 94
Chimeras
catalytically functional flavocytochrome chimeras of P450 BM3 and nitric oxide synthase, 515
β-Chitin
crystallization of calcium carbonate salts into beta-chitin scaffold, 475
Chlorocatecholatoiron complex
structures and electronic properties of the catecholatoiron complexes in relation to catechol dioxygenases: chlorocatecholatoiron complexes are compared to the 3,5-di-*tert*-butylcatecholatoiron complex in the solid state and in solution, 151
Chloroperoxidase
high-valent transition metal centers versus noninnocent ligands in metallocorroles: insights from electrochemistry and implications for high-valent heme protein intermediates, 423
Circular dichroism
circular dichroism study of the irreversibility of conformational changes induced by polyamine-linked dinuclear platinum compounds, 212
Cisplatin
interactions of cisplatin and transplatin with proteins, 306
testis-specific HMG-domain protein alters the responses of cells to cisplatin, 451
Cleavage
DNA-binding and cleavage studies of macrocyclic copper(II) complexes, 269
Cloning
reactivity of recombinant and mutant vanadium bromoperoxidase from the red alga *Corallina officinalis*, 59
Cobalt
structures of HO_2-Co(III)bleomycin A_2 bound to $d(GAGCTC)_2$ and $d(GGAAGCTTCC)_2$: structure–reactivity relationships of Co and Fe bleomycins, 259
Cobalt–carbon bond homolysis
the synthesis and characterization of 8-methoxy-5′-deoxyadenosylcobalamin: a coenzyme B_{12} analog which, following Co–C bond homolysis, avoids cyclization of the 8-methoxy-5′-deoxyadenosyl radical, 388
Coenzyme B_{12}
synthesis of adenosylcobinamide 2-chlorophenyl phosphate, a zwitterionic cobinamide phosphate analog of adenosylcobalamin en route to crystallizable cobinamides, 371
Coenzyme B_{12} analog
the synthesis and characterization of 8-methoxy-5′-deoxyadenosylcobalamin: a coenzyme B_{12} analog which, following Co–C bond homolysis, avoids cyclization of the 8-methoxy-5′-deoxyadenosyl radical, 388
Compound I formation
mechanisms of compound I formation in heme peroxidases, 27
Contrast agents
studies on the kinetic stabilities of the Gd^{3+} complexes formed with the *N*-mono(methylamide), *N′*-mono(methylamide) and *N,N″*-bis(methylamide) derivatives of diethylenetriamine-*N,N,N′,N″,N″*-pentaacetic acid, 320
CO/O_2 discrimination
theoretical study of the discrimination between O_2 and CO by myoglobin, 101
Copper
effect of copper, zinc and cadmium on the promoter of selenoprotein W in glial and myoblast cells, 356
Copper catecholate
synthesis, structure and catecholase activity of dinuclear copper and zinc complexes with an N_3-ligand, 190
Copper enzyme
spectroscopic and functional characterization of Cu-containing nitrite reductase from *Hyphomicrobium denitrificans* A3151, 132
Corrole
high-valent transition metal centers versus noninnocent ligands in metallocorroles: insights from electrochemistry and implications for high-valent heme protein intermediates, 423
Co^{II}, Cu^{II}, Zn^{II} coordination compounds
supramolecular structures of metronidazole and its copper(II), cobalt(II) and zinc(II) coordination compounds, 339
Critical micellar concentration
NMR studies on interaction of lauryl maltoside with cytochrome c oxidase: a model for surfactant interaction with the membrane protein, 116
Crystal structure
biomimetic hydrolytic activation by Fe(III) aggregates: structures, reactivity and properties of novel oxo-bridged iron complexes, 173
thermophilic cytochrome P450 (CYP119) from *Sulfolobus solfataricus*: high resolution structure and functional properties, 491
Crystallization
crystallization of calcium carbonate salts into beta-chitin scaffold, 475
the influence of amino acids on the biomineralization of hydroxyapatite in gelatin, 481
CuL_2
study on the interactions between CuL_2 and Morin with DNA, 470
Cyanocobinamide
synthesis of adenosylcobinamide 2-chlorophenyl phosphate, a zwitterionic cobinamide phosphate analog of adenosylcobalamin en route to crystallizable cobinamides, 371
CYP121
expression, purification and spectroscopic characterization of the

cytochrome P450 CYP121 from *Mycobacterium tuberculosis*, 527
CYP2C5 crystal structure
modelling human cytochromes P450 involved in drug metabolism from the CYP2C5 crystallographic template, 502
Cytochrome P450cam
specific and non-specific effects of potassium cations on substrate–protein interactions in cytochromes P450cam and P450lin, 597
Cytochrome P450lin
specific and non-specific effects of potassium cations on substrate–protein interactions in cytochromes P450cam and P450lin, 597
Cytochrome P450
does P450-type catalysis proceed through a peroxo-iron intermediate? A review of studies with microperoxidase, 35
intermolecular electron transfer in cytochrome P450cam covalently bound with Tris(2,2′-bipyridyl)ruthenium(II): structural changes detected by FTIR spectroscopy, 607
modelling human cytochromes P450 involved in drug metabolism from the CYP2C5 crystallographic template, 502
oxidation and electronic state dependence of proton transfer in the enzymatic cycle of cytochrome P450eryF, 568
replacement of active-site cysteine-436 by serine converts cytochrome P450 2B4 into an NADPH oxidase with negligible monooxygenase activity, 542
thermophilic cytochrome P450 (CYP119) from *Sulfolobus solfataricus*: high resolution structure and functional properties, 491
why do nitric oxide synthases use tetrahydrobiopterin?, 618
Cytochrome c oxidase
NMR studies on interaction of lauryl maltoside with cytochrome c oxidase: a model for surfactant interaction with the membrane protein, 116
Cytochrome *c* oxidase
P_M and P_R forms of cytochrome *c* oxidase have different spectral properties, 87
Cytochrome *c* peroxidase
mesopone cytochrome *c* peroxidase: functional model of heme oxygenated oxidases, 635
Cytotoxic activity
synthesis, structure, spectroscopic and in vitro antitumour studies of a novel gallium(III) complex with 2-acetylpyridine ^4N-dimethylthiosemicarbazone, 298
Cytoxicity
examination of the effects of oxidation and ring closure on the cytotoxicities of the platinum complexes of *N*-(2-hydroxyethyl)ethane-1,2-diamine and ethane-1,2-diamine-*N*,*N*′-diacetic acid, 205
2-D NMR
NMR studies on interaction of lauryl maltoside with cytochrome c oxidase: a model for surfactant interaction with the membrane protein, 116
De novo design
hydrolytically active Eu(III) and Ce(IV) EF-hand peptides, 253
Density functional theory
oxidation and electronic state dependence of proton transfer in the enzymatic cycle of cytochrome P450eryF, 568
Depleted uranium
depleted uranium-catalyzed oxidative DNA damage: absence of significant alpha particle decay, 246
DFT calculations
the 'push' effect of the thiolate ligand in cytochrome P450: a theoretical gauging, 554
3,5-di-*tert*-butylcatecholatoiron complex
structures and electronic properties of the catecholatoiron complexes in relation to catechol dioxygenases: chlorocatecholatoiron complexes are compared to the 3,5-di-*tert*-butylcatecholatoiron complex in the solid state and in solution, 151
Diabetes mellitus
structure-dependent metallokinetics of antidiabetic vanadyl-picolinate complexes in rats: studies on solution structure, insulinomimetic activity, and metallokinetics, 327
Dibutyltin (IV)
synthesis and characterization of water-insoluble and water-soluble dibutyltin(IV) porphinate complexes based on the tris(pyridinyl)porphyrin moiety, their anti-tumor activity in vitro and interaction with DNA, 230
Dimerization
assembly and activation of heme-deficient neuronal NO synthase with various porphyrins, 625
Dimethylsulfoxide
synthetic procedures to monomethyl-platinum(II) complexes containing nitrogen ligands of biological relevance, 237
Diol dehydratase
synthesis of adenosylcobinamide 2-chlorophenyl phosphate, a zwitterionic cobinamide phosphate analog of adenosylcobalamin en route to crystallizable cobinamides, 371
Dipyridophenazine
picosecond Kerr-gated time-resolved resonance Raman spectroscopy of the $[Ru(phen)_2dppz]^{2+}$ interaction with DNA, 286
Disulfide bridge
effects of chaotropic anions on the distribution of conformational substates of amicyanin, wild type and Cys3Ala/Cys26Ala azurin mutant, 463
DNA binding
aryl substituted ruthenium bis-terpyridine complexes: intercalation and groove binding with DNA, 220
synthesis, characterization and DNA binding studies of a ruthenium(II) complex, 405
DNA cleavage
hydrolysis of natural and artificial phosphoesters using zinc model compound with a histidine-containing pseudopeptide, 437
DNA damage
depleted uranium-catalyzed oxidative DNA damage: absence of significant alpha particle decay, 246
DNA-binding
DNA-binding and cleavage studies of macrocyclic copper(II) complexes, 269
DNA
picosecond Kerr-gated time-resolved resonance Raman spectroscopy of the $[Ru(phen)_2dppz]^{2+}$ interaction with DNA, 286
structures of HO_2-Co(III)bleomycin A_2 bound to $d(GAGCTC)_2$ and $d(GGAAGCTTCC)_2$: structure–reactivity relationships of Co and Fe bleomycins, 259
study on the interactions between CuL_2 and Morin with DNA, 470
synthesis and characterization of water-insoluble and water-soluble dibutyltin(IV) porphinate complexes based on the tris(pyridinyl)porphyrin moiety, their anti-tumor activity in vitro and interaction with DNA, 230
Drug metabolism
modelling human cytochromes P450 involved in drug metabolism from the CYP2C5 crystallographic template, 502
Drug targets
expression, purification and spectroscopic characterization of the cytochrome P450 CYP121 from *Mycobacterium tuberculosis*, 527
DTPA derivatives
$^{153}Sm^{3+}$ and $^{111}In^{3+}$ DTPA derivatives with high hepatic specificity: in vivo and in vitro studies, 312
EF-hand
hydrolytically active Eu(III) and Ce(IV) EF-hand peptides, 253
Electrochemistry
photo-induced oxidation of a dinuclear $Mn_2^{II,II}$ complex to the $Mn_2^{III,IV}$ state by inter- and intramolecular electron transfer to Ru^{III}*tris*-bipyridine, 159

Electron paramagnetic resonance
effects of chaotropic anions on the distribution of conformational substates of amicyanin, wild type and Cys3Ala/Cys26Ala azurin mutant, 463
Electron spin resonance
structures and electronic properties of the catecholatoiron complexes in relation to catechol dioxygenases: chlorocatecholatoiron complexes are compared to the 3,5-di-*tert*-butylcatecholatoiron complex in the solid state and in solution, 151
Electron transfer process
spectroscopic and functional characterization of Cu-containing nitrite reductase from *Hyphomicrobium denitrificans* A3151, 132
Electron transfer
catalytically functional flavocytochrome chimeras of P450 BM3 and nitric oxide synthase, 515
deletions in the loop surrounding the iron–sulfur cluster of adrenodoxin severely affect the interactions with its native redox partners adrenodoxin reductase and cytochrome $P450_{scc}$ (CYP11A1), 644
intermolecular electron transfer in cytochrome P450cam covalently bound with Tris(2,2′-bipyridyl)ruthenium(II): structural changes detected by FTIR spectroscopy, 607
P_M and P_R forms of cytochrome *c* oxidase have different spectral properties, 87
Electronic structure
oxidation and electronic state dependence of proton transfer in the enzymatic cycle of cytochrome P450eryF, 568
Electrospray ionization mass spectrometry (ESI-MS)
interactions of cisplatin and transplatin with proteins, 306
Electrostatic-control of protein dynamics
specific and non-specific effects of potassium cations on substrate–protein interactions in cytochromes P450cam and P450lin, 597
Enzymes
Fe-only hydrogenases: structure, function and evolution, 1
Enzyme
site-directed mutagenesis for cysteine residues of cobalt-containing nitrile hydratase, 70
EPR spectroscopic properties
the heme-iron geometry of ferrous nitrosylated heme-serum lipoproteins, hemopexin, and albumin: a comparative EPR study, 487
EPR spectroscopy
photo-induced oxidation of a dinuclear $Mn_2^{II,II}$ complex to the $Mn_2^{III,IV}$ state by inter- and intramolecular electron transfer to Ru^{III}*tris*-bipyridine, 159
Europium
steady-state luminescence investigation of the binding of Eu(III) and Tb(III) ions with synthetic peptides derived from plant thionins, 363
Exchange reactions
studies on the kinetic stabilities of the Gd^{3+} complexes formed with the *N*-mono(methylamide), *N′*-mono(methylamide) and *N,N″*-bis(methylamide) derivatives of diethylenetriamine-*N,N,N′,N″,N″*-pentaacetic acid, 320
Expression
reactivity of recombinant and mutant vanadium bromoperoxidase from the red alga *Corallina officinalis*, 59
Fe-only hydrogenases
Fe-only hydrogenases: structure, function and evolution, 1
Ferrous nitrosylated heme-serum proteins
the heme-iron geometry of ferrous nitrosylated heme-serum lipoproteins, hemopexin, and albumin: a comparative EPR study, 487
Flavocytochromes
catalytically functional flavocytochrome chimeras of P450 BM3 and nitric oxide synthase, 515
Flavoprotein
why do nitric oxide synthases use tetrahydrobiopterin?, 618
Function
metal binding and structure–activity relationship of the metalloantibiotic peptide bacitracin, 46
Gallium(III) complexes
synthesis, structure, spectroscopic and in vitro antitumour studies of a novel gallium(III) complex with 2-acetylpyridine ^4N-dimethylthiosemicarbazone, 298
Gd^{3+}-chelates
studies on the kinetic stabilities of the Gd^{3+} complexes formed with the *N*-mono(methylamide), *N′*-mono(methylamide) and *N,N″*-bis(methylamide) derivatives of diethylenetriamine-*N,N,N′,N″,N″*-pentaacetic acid, 320
Gel electrophoresis
studies on the interaction between Ag^+ and DNA, 398
Gelatin
the influence of amino acids on the biomineralization of hydroxyapatite in gelatin, 481
Glial cells
effect of copper, zinc and cadmium on the promoter of selenoprotein W in glial and myoblast cells, 356
Groove binding
aryl substituted ruthenium bis-terpyridine complexes: intercalation and groove binding with DNA, 220
Guanine
studies on the interaction between Ag^+ and DNA, 398
Halogenation activity
engineering the proximal heme cavity of catalase-peroxidase, 78
Haloperoxidase
reactivity of recombinant and mutant vanadium bromoperoxidase from the red alga *Corallina officinalis*, 59
HeLa cells
testis-specific HMG-domain protein alters the responses of cells to cisplatin, 451
Heme peroxidase
mechanisms of compound I formation in heme peroxidases, 27
β-hematin
physico-chemical aspects of hemozoin (malaria pigment) structure and formation, 19
Heme cd_1 model
mesopone cytochrome *c* peroxidase: functional model of heme oxygenated oxidases, 635
Heme-enzymes
the 'push' effect of the thiolate ligand in cytochrome P450: a theoretical gauging, 554
Heme-human albumin
the heme-iron geometry of ferrous nitrosylated heme-serum lipoproteins, hemopexin, and albumin: a comparative EPR study, 487
Heme-human lipoproteins
the heme-iron geometry of ferrous nitrosylated heme-serum lipoproteins, hemopexin, and albumin: a comparative EPR study, 487
Heme-iron geometry
the heme-iron geometry of ferrous nitrosylated heme-serum lipoproteins, hemopexin, and albumin: a comparative EPR study, 487
Heme-rabbit hemopexin
the heme-iron geometry of ferrous nitrosylated heme-serum lipoproteins, hemopexin, and albumin: a comparative EPR study, 487
Hemepeptide
does P450-type catalysis proceed through a peroxo-iron intermediate? A review of studies with microperoxidase, 35
Hemeprotein
why do nitric oxide synthases use tetrahydrobiopterin?, 618
Heme
assembly and activation of heme-deficient neuronal NO synthase with various porphyrins, 625

Hemoprotein
assembly and activation of heme-deficient neuronal NO synthase with various porphyrins, 625
Hemozoin
physico-chemical aspects of hemozoin (malaria pigment) structure and formation, 19
Hepatic specificity
$^{153}Sm^{3+}$ and $^{111}In^{3+}$ DTPA derivatives with high hepatic specificity: in vivo and in vitro studies, 312
High-valent
high-valent transition metal centers versus noninnocent ligands in metallocorroles: insights from electrochemistry and implications for high-valent heme protein intermediates, 423
Human osteoblast
depleted uranium-catalyzed oxidative DNA damage: absence of significant alpha particle decay, 246
Hydrogen peroxide
mechanisms of compound I formation in heme peroxidases, 27
Hydrogenases
Fe-only hydrogenases: structure, function and evolution, 1
Hydrolysis
hydrolysis of natural and artificial phosphoesters using zinc model compound with a histidine-containing pseudopeptide, 437
hydrolytically active Eu(III) and Ce(IV) EF-hand peptides, 253
Hydrolytic activation
biomimetic hydrolytic activation by Fe(III) aggregates: structures, reactivity and properties of novel oxo-bridged iron complexes, 173
(Hydro)peroxo-iron
does P450-type catalysis proceed through a peroxo-iron intermediate? A review of studies with microperoxidase, 35
Hydroxyapatite
the influence of amino acids on the biomineralization of hydroxyapatite in gelatin, 481
8-Hydroxydeoxyguanosine
depleted uranium-catalyzed oxidative DNA damage: absence of significant alpha particle decay, 246
H_2O_2
selective cell death by water-soluble Fe-porphyrins with superoxide dismutase (SOD) activity, 349
111-Indium
$^{153}Sm^{3+}$ and $^{111}In^{3+}$ DTPA derivatives with high hepatic specificity: in vivo and in vitro studies, 312
In vitro cytotoxicity
synthesis, characterization and in vitro cytotoxicity of new organotin(IV) derivatives of *N*-methylglycine, 413
Infrared spectroscopy
intermolecular electron transfer in cytochrome P450cam covalently bound with Tris(2,2′-bipyridyl)ruthenium(II): structural changes detected by FTIR spectroscopy, 607
Insulinomimetics
structure-dependent metallokinetics of antidiabetic vanadyl-picolinate complexes in rats: studies on solution structure, insulinomimetic activity, and metallokinetics, 327
Interaction
studies on the interaction between Ag^+ and DNA, 398
Intercalation
study on the interactions between CuL_2 and Morin with DNA, 470
Intercalators
aryl substituted ruthenium bis-terpyridine complexes: intercalation and groove binding with DNA, 220
Intermolecular DNA triplex
effect of divalent cations and cytosine protonation on thermodynamic properties of intermolecular DNA double and triple helices, 277
Iron aggregate
biomimetic hydrolytic activation by Fe(III) aggregates: structures, reactivity and properties of novel oxo-bridged iron complexes, 173
Iron–sulfur cluster
deletions in the loop surrounding the iron–sulfur cluster of adrenodoxin severely affect the interactions with its native redox partners adrenodoxin reductase and cytochrome $P450_{scc}$ (CYP11A1), 644
Iron
molecular and cellular mechanisms of iron homeostasis and toxicity in mammalian cells, 9
structures of HO_2-Co(III)bleomycin A_2 bound to $d(GAGCTC)_2$ and $d(GGAAGCTTCC)_2$: structure–reactivity relationships of Co and Fe bleomycins, 259
Kinetics
hydrolysis of natural and artificial phosphoesters using zinc model compound with a histidine-containing pseudopeptide, 437
studies on the kinetic stabilities of the Gd^{3+} complexes formed with the *N*-mono(methylamide), *N′*-mono(methylamide) and *N,N″*-bis(methylamide) derivatives of diethylenetriamine-*N,N,N′,N″,N″*-pentaacetic acid, 320
synthesis, structure and catecholase activity of dinuclear copper and zinc complexes with an N_3-ligand, 190
Laccase
primary structure of a Japanese lacquer tree laccase as a prototype enzyme of multicopper oxidases, 125
Lanthanides
hydrolytically active Eu(III) and Ce(IV) EF-hand peptides, 253
Lauryl maltoside
NMR studies on interaction of lauryl maltoside with cytochrome c oxidase: a model for surfactant interaction with the membrane protein, 116
Lichen substances
spectroscopic and structural characterization of copper(II) and palladium(II) complexes of a lichen substance usnic acid and its derivatives. Possible forms of environmental metals retained in lichens, 139
Ligand binding
contribution of heme-propionate side chains to structure and function of myoglobin: chemical approach by artificially created prosthetic groups, 94
Low-barrier hydrogen bond
oxidation and electronic state dependence of proton transfer in the enzymatic cycle of cytochrome P450eryF, 568
Luciferase
effect of copper, zinc and cadmium on the promoter of selenoprotein W in glial and myoblast cells, 356
Luminescence
steady-state luminescence investigation of the binding of Eu(III) and Tb(III) ions with synthetic peptides derived from plant thionins, 363
Macrocyclic copper (II) complexes
DNA-binding and cleavage studies of macrocyclic copper(II) complexes, 269
Magnetic studies
biomimetic hydrolytic activation by Fe(III) aggregates: structures, reactivity and properties of novel oxo-bridged iron complexes, 173
Malaria pigment
physico-chemical aspects of hemozoin (malaria pigment) structure and formation, 19
Malaria
physico-chemical aspects of hemozoin (malaria pigment) structure and formation, 19
Manganese
photo-induced oxidation of a dinuclear $Mn_2^{II,II}$ complex to the $Mn_2^{III,IV}$ state by inter- and intramolecular electron transfer to Ru^{III}*tris*-bipyridine, 159

Metal complexes
spectroscopic and structural characterization of copper(II) and palladium(II) complexes of a lichen substance usnic acid and its derivatives. Possible forms of environmental metals retained in lichens, 139
Metal-to-ligand charge transfer (MLCT)
picosecond Kerr-gated time-resolved resonance Raman spectroscopy of the $[Ru(phen)_2dppz]^{2+}$ interaction with DNA, 286
Metallocorrole
high-valent transition metal centers versus noninnocent ligands in metallocorroles: insights from electrochemistry and implications for high-valent heme protein intermediates, 423
Metallokinetic analysis
structure-dependent metallokinetics of antidiabetic vanadyl-picolinate complexes in rats: studies on solution structure, insulinomimetic activity, and metallokinetics, 327
Metal
metal binding and structure–activity relationship of the metalloantibiotic peptide bacitracin, 46
site-directed mutagenesis for cysteine residues of cobalt-containing nitrile hydratase, 70
8-Methoxyadenosine radical non-cyclization
the synthesis and characterization of 8-methoxy-5′-deoxyadenosylcobalamin: a coenzyme B_{12} analog which, following Co–C bond homolysis, avoids cyclization of the 8-methoxy-5′-deoxyadenosyl radical, 388
N-Methylglycine
synthesis, characterization and in vitro cytotoxicity of new organotin(IV) derivatives of *N*-methylglycine, 413
Metronidazole
supramolecular structures of metronidazole and its copper(II), cobalt(II) and zinc(II) coordination compounds, 339
(Micro)peroxidase
does P450-type catalysis proceed through a peroxo-iron intermediate? A review of studies with microperoxidase, 35
Mixed-valence cytochrome oxidase
P_M and P_R forms of cytochrome *c* oxidase have different spectral properties, 87
Molecular orbital calculations
does P450-type catalysis proceed through a peroxo-iron intermediate? A review of studies with microperoxidase, 35
Morin
study on the interactions between CuL_2 and Morin with DNA, 470
Morphology
the influence of amino acids on the biomineralization of hydroxyapatite in gelatin, 481
MRNA
primary structure of a Japanese lacquer tree laccase as a prototype enzyme of multicopper oxidases, 125
Multicopper oxidase
primary structure of a Japanese lacquer tree laccase as a prototype enzyme of multicopper oxidases, 125
Mutagenesis
replacement of active-site cysteine-436 by serine converts cytochrome P450 2B4 into an NADPH oxidase with negligible monooxygenase activity, 542
Mutant
reactivity of recombinant and mutant vanadium bromoperoxidase from the red alga *Corallina officinalis*, 59
Mycobacterium tubercolosis
expression, purification and spectroscopic characterization of the cytochrome P450 CYP121 from *Mycobacterium tuberculosis*, 527
Myoglobin
contribution of heme-propionate side chains to structure and function of myoglobin: chemical approach by artificially created prosthetic groups, 94
theoretical study of the discrimination between O_2 and CO by myoglobin, 101
Neurodegenerative disease
molecular and cellular mechanisms of iron homeostasis and toxicity in mammalian cells, 9
Nitric oxide reductase
oxidation and electronic state dependence of proton transfer in the enzymatic cycle of cytochrome P450eryF, 568
Nitric oxide synthase
assembly and activation of heme-deficient neuronal NO synthase with various porphyrins, 625
Nitric oxide
assembly and activation of heme-deficient neuronal NO synthase with various porphyrins, 625
Nitrite reductase
spectroscopic and functional characterization of Cu-containing nitrite reductase from *Hyphomicrobium denitrificans* A3151, 132
Nitrite reduction
spectroscopic and functional characterization of Cu-containing nitrite reductase from *Hyphomicrobium denitrificans* A3151, 132
Nitrogen ligands
synthetic procedures to monomethyl-platinum(II) complexes containing nitrogen ligands of biological relevance, 237
NMR
structures of HO_2-Co(III)bleomycin A_2 bound to $d(GAGCTC)_2$ and $d(GGAAGCTTCC)_2$: structure–reactivity relationships of Co and Fe bleomycins, 259
NMR assignments
NMR studies on interaction of lauryl maltoside with cytochrome c oxidase: a model for surfactant interaction with the membrane protein, 116
NNOS
catalytically functional flavocytochrome chimeras of P450 BM3 and nitric oxide synthase, 515
Non-corrin
site-directed mutagenesis for cysteine residues of cobalt-containing nitrile hydratase, 70
Non-covalent interactions
aryl substituted ruthenium bis-terpyridine complexes: intercalation and groove binding with DNA, 220
Noninnocence
high-valent transition metal centers versus noninnocent ligands in metallocorroles: insights from electrochemistry and implications for high-valent heme protein intermediates, 423
Nuclease
hydrolytically active Eu(III) and Ce(IV) EF-hand peptides, 253
Nucleotide excision repair (NER)
testis-specific HMG-domain protein alters the responses of cells to cisplatin, 451
Optical biosensor
deletions in the loop surrounding the iron–sulfur cluster of adrenodoxin severely affect the interactions with its native redox partners adrenodoxin reductase and cytochrome $P450_{scc}$ (CYP11A1), 644
Organotin(IV)
synthesis, characterization and in vitro cytotoxicity of new organotin(IV) derivatives of *N*-methylglycine, 413
Oxenoid-iron
does P450-type catalysis proceed through a peroxo-iron intermediate? A review of studies with microperoxidase, 35
Oxidation
examination of the effects of oxidation and ring closure on the cytotoxicities of the platinum complexes of *N*-(2-hydroxyethyl)ethane-1,2-diamine and ethane-1,2-diamine-*N*,*N*′-diacetic acid, 205
Oxidative stress
molecular and cellular mechanisms of iron homeostasis and toxicity in mammalian cells, 9

Oxidative
depleted uranium-catalyzed oxidative DNA damage: absence of significant alpha particle decay, 246
Oxidoreductase
why do nitric oxide synthases use tetrahydrobiopterin?, 618
Oxygen activation
why do nitric oxide synthases use tetrahydrobiopterin?, 618
Oxymyoglobin
contribution of heme-propionate side chains to structure and function of myoglobin: chemical approach by artificially created prosthetic groups, 94
$O_2^{\cdot-}$
selective cell death by water-soluble Fe-porphyrins with superoxide dismutase (SOD) activity, 349
O_2 activation
the 'push' effect of the thiolate ligand in cytochrome P450: a theoretical gauging, 554
P450
expression, purification and spectroscopic characterization of the cytochrome P450 CYP121 from *Mycobacterium tuberculosis*, 527
P450 BM3
catalytically functional flavocytochrome chimeras of P450 BM3 and nitric oxide synthase, 515
Peptide
hydrolysis of natural and artificial phosphoesters using zinc model compound with a histidine-containing pseudopeptide, 437
metal binding and structure–activity relationship of the metalloantibiotic peptide bacitracin, 46
Peroxidase activity
engineering the proximal heme cavity of catalase-peroxidase, 78
Peroxy intermediate
P_M and P_R forms of cytochrome *c* oxidase have different spectral properties, 87
Phosphate esters
hydrolysis of natural and artificial phosphoesters using zinc model compound with a histidine-containing pseudopeptide, 437
Phosphorylation
synthesis of adenosylcobinamide 2-chlorophenyl phosphate, a zwitterionic cobinamide phosphate analog of adenosylcobalamin en route to crystallizable cobinamides, 371
Phosphotriester approach
synthesis of adenosylcobinamide 2-chlorophenyl phosphate, a zwitterionic cobinamide phosphate analog of adenosylcobalamin en route to crystallizable cobinamides, 371
Photocleavage
synthesis, characterization and DNA binding studies of a ruthenium(II) complex, 405
Plasmid DNA
studies on the interaction between Ag^+ and DNA, 398
Platinum complexes
examination of the effects of oxidation and ring closure on the cytotoxicities of the platinum complexes of *N*-(2-hydroxyethyl)ethane-1,2-diamine and ethane-1,2-diamine-*N*,*N*′-diacetic acid, 205
Platinum compounds
circular dichroism study of the irreversibility of conformational changes induced by polyamine-linked dinuclear platinum compounds, 212
Platinum(II) complexes
synthetic procedures to monomethyl-platinum(II) complexes containing nitrogen ligands of biological relevance, 237
Poly-nuclear platinum compounds
circular dichroism study of the irreversibility of conformational changes induced by polyamine-linked dinuclear platinum compounds, 212
Porphyrin cation radical
mechanisms of compound I formation in heme peroxidases, 27
Porphyrin
assembly and activation of heme-deficient neuronal NO synthase with various porphyrins, 625
synthesis and characterization of water-insoluble and water-soluble dibutyltin(IV) porphinate complexes based on the tris(pyridinyl)porphyrin moiety, their anti-tumor activity in vitro and interaction with DNA, 230
Potassium cation
specific and non-specific effects of potassium cations on substrate–protein interactions in cytochromes P450cam and P450lin, 597
Primary structure
primary structure of a Japanese lacquer tree laccase as a prototype enzyme of multicopper oxidases, 125
Protein binding
interactions of cisplatin and transplatin with proteins, 306
Protein radical
mechanisms of compound I formation in heme peroxidases, 27
Protein strain
theoretical study of the discrimination between O_2 and CO by myoglobin, 101
Protein–protein interaction
deletions in the loop surrounding the iron–sulfur cluster of adrenodoxin severely affect the interactions with its native redox partners adrenodoxin reductase and cytochrome $P450_{scc}$ (CYP11A1), 644
Proton transport
oxidation and electronic state dependence of proton transfer in the enzymatic cycle of cytochrome P450eryF, 568
Proximal ligand
the 'push' effect of the thiolate ligand in cytochrome P450: a theoretical gauging, 554
Pteridine
why do nitric oxide synthases use tetrahydrobiopterin?, 618
QC/MM calculations
theoretical study of the discrimination between O_2 and CO by myoglobin, 101
Quantum refinement
theoretical study of the discrimination between O_2 and CO by myoglobin, 101
Reconstituted oxochlorin
mesopone cytochrome *c* peroxidase: functional model of heme oxygenated oxidases, 635
Redox
the 'push' effect of the thiolate ligand in cytochrome P450: a theoretical gauging, 554
Reduction potential
examination of the effects of oxidation and ring closure on the cytotoxicities of the platinum complexes of *N*-(2-hydroxyethyl)ethane-1,2-diamine and ethane-1,2-diamine-*N*,*N*′-diacetic acid, 205
Repair-deficiency
testis-specific HMG-domain protein alters the responses of cells to cisplatin, 451
Rhodococcus
site-directed mutagenesis for cysteine residues of cobalt-containing nitrile hydratase, 70
Ribonucleoside triphosphate reductase
synthesis of adenosylcobinamide 2-chlorophenyl phosphate, a zwitterionic cobinamide phosphate analog of adenosylcobalamin en route to crystallizable cobinamides, 371
Ru complexes
aryl substituted ruthenium bis-terpyridine complexes: intercalation and groove binding with DNA, 220
Ruthenium(II) complex
synthesis, characterization and DNA binding studies of a ruthenium(II) complex, 405
Ruthenium
intermolecular electron transfer in cytochrome P450cam covalently

bound with Tris(2,2′-bipyridyl)ruthenium(II): structural changes detected by FTIR spectroscopy, 607
picosecond Kerr-gated time-resolved resonance Raman spectroscopy of the $[Ru(phen)_2dppz]^{2+}$ interaction with DNA, 286
Salmon sperm DNA
studies on the interaction between Ag^+ and DNA, 398
153-Samarium
$^{153}Sm^{3+}$ and $^{111}In^{3+}$ DTPA derivatives with high hepatic specificity: in vivo and in vitro studies, 312
Secondary structure
intermolecular electron transfer in cytochrome P450cam covalently bound with Tris(2,2′-bipyridyl)ruthenium(II): structural changes detected by FTIR spectroscopy, 607
Selenoprotein W
effect of copper, zinc and cadmium on the promoter of selenoprotein W in glial and myoblast cells, 356
Sequence alignment
primary structure of a Japanese lacquer tree laccase as a prototype enzyme of multicopper oxidases, 125
Sequence homology
primary structure of a Japanese lacquer tree laccase as a prototype enzyme of multicopper oxidases, 125
Side chain structures
DNA-binding and cleavage studies of macrocyclic copper(II) complexes, 269
Silver ion
studies on the interaction between Ag^+ and DNA, 398
Site-directed mutagenesis
deletions in the loop surrounding the iron–sulfur cluster of adrenodoxin severely affect the interactions with its native redox partners adrenodoxin reductase and cytochrome $P450_{scc}$ (CYP11A1), 644
engineering the proximal heme cavity of catalase-peroxidase, 78
SOD activity
selective cell death by water-soluble Fe-porphyrins with superoxide dismutase (SOD) activity, 349
Squid pen
crystallization of calcium carbonate salts into beta-chitin scaffold, 475
Structure–activity relationship
structure-dependent metallokinetics of antidiabetic vanadyl-picolinate complexes in rats: studies on solution structure, insulinomimetic activity, and metallokinetics, 327
Structures
spectroscopic and structural characterization of copper(II) and palladium(II) complexes of a lichen substance usnic acid and its derivatives. Possible forms of environmental metals retained in lichens, 139
Structure
metal binding and structure–activity relationship of the metalloantibiotic peptide bacitracin, 46
structures of HO_2-Co(III)bleomycin A_2 bound to $d(GAGCTC)_2$ and $d(GGAAGCTTCC)_2$: structure–reactivity relationships of Co and Fe bleomycins, 259
Substrate binding
specific and non-specific effects of potassium cations on substrate–protein interactions in cytochromes P450cam and P450lin, 597
Substrate conversion
deletions in the loop surrounding the iron–sulfur cluster of adrenodoxin severely affect the interactions with its native redox partners adrenodoxin reductase and cytochrome $P450_{scc}$ (CYP11A1), 644
Supramolecular arrangements
supramolecular structures of metronidazole and its copper(II), cobalt(II) and zinc(II) coordination compounds, 339
Synechocystis PCC 6803
engineering the proximal heme cavity of catalase-peroxidase, 78
Synthesis and characterization
the synthesis and characterization of 8-methoxy-5′-deoxyadenosylcobalamin: a coenzyme B_{12} analog which, following Co–C bond homolysis, avoids cyclization of the 8-methoxy-5′-deoxyadenosyl radical, 388
Synthetic peptides
steady-state luminescence investigation of the binding of Eu(III) and Tb(III) ions with synthetic peptides derived from plant thionins, 363
Terbium
steady-state luminescence investigation of the binding of Eu(III) and Tb(III) ions with synthetic peptides derived from plant thionins, 363
Testis-specific HMG-domain protein (tsHMG)
testis-specific HMG-domain protein alters the responses of cells to cisplatin, 451
Thermodynamics
effect of divalent cations and cytosine protonation on thermodynamic properties of intermolecular DNA double and triple helices, 277
Thermophilic
thermophilic cytochrome P450 (CYP119) from *Sulfolobus solfataricus*: high resolution structure and functional properties, 491
Thiocyanate
effects of chaotropic anions on the distribution of conformational substates of amicyanin, wild type and Cys3Ala/Cys26Ala azurin mutant, 463
Thionin
steady-state luminescence investigation of the binding of Eu(III) and Tb(III) ions with synthetic peptides derived from plant thionins, 363
Thiosemicarbazones
synthesis, structure, spectroscopic and in vitro antitumour studies of a novel gallium(III) complex with 2-acetylpyridine ^4N-dimethylthiosemicarbazone, 298
Thymine glycol
depleted uranium-catalyzed oxidative DNA damage: absence of significant alpha particle decay, 246
Time resolved resonance Raman (TR^3) spectroscopy
picosecond Kerr-gated time-resolved resonance Raman spectroscopy of the $[Ru(phen)_2dppz]^{2+}$ interaction with DNA, 286
Time-resolved optical absorption
P_M and P_R forms of cytochrome *c* oxidase have different spectral properties, 87
Toxicity
molecular and cellular mechanisms of iron homeostasis and toxicity in mammalian cells, 9
Transfection
effect of copper, zinc and cadmium on the promoter of selenoprotein W in glial and myoblast cells, 356
Transient-state kinetics
engineering the proximal heme cavity of catalase-peroxidase, 78
Transplatin
interactions of cisplatin and transplatin with proteins, 306
Tryptophan
mechanisms of compound I formation in heme peroxidases, 27
steady-state luminescence investigation of the binding of Eu(III) and Tb(III) ions with synthetic peptides derived from plant thionins, 363
Two-electron oxidase
replacement of active-site cysteine-436 by serine converts cytochrome P450 2B4 into an NADPH oxidase with negligible monooxygenase activity, 542
Usnic acid
spectroscopic and structural characterization of copper(II) and palladium(II) complexes of a lichen substance usnic acid and its

derivatives. Possible forms of environmental metals retained in lichens, 139
Vanadium
reactivity of recombinant and mutant vanadium bromoperoxidase from the red alga *Corallina officinalis*, 59
Vanadyl-picolinates
structure-dependent metallokinetics of antidiabetic vanadyl-picolinate complexes in rats: studies on solution structure, insulinomimetic activity, and metallokinetics, 327
Vaterite
crystallization of calcium carbonate salts into beta-chitin scaffold, 475
Water-soluble Fe-porphyrin
selective cell death by water-soluble Fe-porphyrins with superoxide dismutase (SOD) activity, 349
X-ray absorption spectroscopy
structures and electronic properties of the catecholatoiron complexes in relation to catechol dioxygenases: chlorocatecholatoiron complexes are compared to the 3,5-di-*tert*-butylcatecholatoiron complex in the solid state and in solution, 151
Zinc catecholate
synthesis, structure and catecholase activity of dinuclear copper and zinc complexes with an N_3-ligand, 190
Zinc model complex
hydrolysis of natural and artificial phosphoesters using zinc model compound with a histidine-containing pseudopeptide, 437
Zinc
effect of copper, zinc and cadmium on the promoter of selenoprotein W in glial and myoblast cells, 356
Zwitterionic cobinamide phosphates
synthesis of adenosylcobinamide 2-chlorophenyl phosphate, a zwitterionic cobinamide phosphate analog of adenosylcobalamin en route to crystallizable cobinamides, 371